

Consensus of High-Order Multiagent Systems With Binary-Valued Communications and Switching Topologies

Ru An[®], Ying Wang[®], *Member, IEEE*, Yanlong Zhao[®], *Senior Member, IEEE*, and Ji-Feng Zhang[®], *Fellow, IEEE*

Abstract—This article studies the consensus problem of high-order multiagent systems (MASs) with binary-valued communications and switching topologies. To tackle the challenge of unknown states caused by binary-valued communications, this article constructs an estimation-based consensus algorithm. First, a recursive projection identification algorithm is presented to estimate the neighbors' states dynamically. Then, based on these estimates, a consensus law is designed. By constructing and analyzing two combined Lyapunov functions about estimation error and state error, this article establishes their relation to overcome the difficulty resulting from the coupling of the estimation and control and less information due to switching topologies. Under the condition of jointly connected topologies, it is proven that by properly selecting the step coefficient, the estimates of states can converge to the true states with a convergence rate as the reciprocal of the recursion times. Besides, the MAS is proved to achieve weak consensus and the consensus rate is also established as the reciprocal of the recursion times. Finally, a simulation example is given to validate the algorithm.

Index Terms—Binary-valued communication, consensus, high order, multiagent system (MAS), recursive projection identification algorithm, switching topology.

Received 29 March 2024; revised 12 September 2024; accepted 28 November 2024. Date of publication 12 December 2024; date of current version 20 June 2025. This work was supported in part by the National Key R&D Program of China under Grant 2018/FA0703800, in part by the National Natural Science Foundation of China under Grant 62025306, Grant 62303452, Grant 62433020, and Grant T2293770, in part by the CAS Project for Young Scientists in Basic Research under Grant YSBR-008, and in part by the China Postdoctoral Science Foundation under Grant 2022M720159. Recommended by Associate Editor Y. Mo. (*Corresponding author: Ying Wang.*)

Ru An and Yanlong Zhao are with the Key Laboratory of Systems and Control, Academy of Mathematics and Systems Science, Chinese Academy of Sciences, Beijing 100190, China, and also with the School of Mathematics Sciences, University of Chinese Academy of Sciences, Beijing 100149, China (e-mail: anru@amss.ac.cn; ylzhao@amss.ac.cn).

Ying Wang is with the Key Laboratory of Systems and Control, Academy of Mathematics and Systems Science, Chinese Academy of Sciences, Beijing 100190, China, and also with the Division of Decision and Control Systems, KTH Royal Institute of Technology, 11428 Stockholm, Sweden (e-mail: wangying96@amss.ac.cn).

Ji-Feng Zhang is with the School of Automation and Electrical Engineering, Zhongyuan University of Technology, Zhengzhou 450007, China, and also with the Key Laboratory of Systems and Control, Academy of Mathematics and Systems Science, Chinese Academy of Sciences, Beijing 100190, China (e-mail: jif@iss.ac.cn).

Digital Object Identifier 10.1109/TCNS.2024.3516582

I. INTRODUCTION

I N RECENT years, the consensus problem of multiagent systems (MASs) has attracted increasing attention from scholars across various fields [1], [2], [3], [4], [5], [6], [7], [8], such as swarm formation for autonomous aerial vehicles in engineering fields [1], the reputation consensus of mobile nodes in communication fields [8], and so on. In swarm scenarios, all agents dynamically adjust their positions and orientations relative to neighboring agents to ensure a common heading direction.

At the start, the consensus problems are investigated with accurate communications and fixed topologies, such as [9], [10], and [11]. Furthermore, the necessary and sufficient conditions of average-consensus in the noise-free case and asymptotic unbiased mean-square average-consensus in the case of stochastic noises were proposed in [12].

However, due to the limited capacity of the communication channel, only limited data can be transmitted over the channel per unit of time. Therefore, in each time interval, only limited bits of data can be exchanged between agents, also called quantized information [13], [14], [15]. Because of the wide application of digital networks, the consensus problem over capacity-limited networks has attracted a lot of interest. For example, the consensus problems with quantized communication were considered in [16], [17], [18], [19], and [20], which only need finite bits in transmission.

Furthermore, binary-valued information is a specialized form of quantized information, with the transmission of just one bit by simplifying communication into only true or false states. Binaryvalued communication significantly cuts more communication costs than others, contributing to its widespread and efficient application. As a result, some works on the consensus problem have appeared based on binary-valued communications [21], [22]. Wang et al. [21] proposed a consensus algorithm based on recursive projection and gave a mean-square consensus rate. The system of [21] was expanded to high-order MASs in [22], but with an orthogonal limitation on the coefficient matrices.

It is worth noticing that all the consensus works mentioned above are for the fixed topology case. Actually, the topologies of multiagent networks usually switch over time in practical networks due to the interference of some external elements and the changes in the current circumstances. There are some works that investigate the consensus problem of MASs with

2325-5870 © 2024 IEEE. All rights reserved, including rights for text and data mining, and training of artificial intelligence and similar technologies. Personal use is permitted, but republication/redistribution requires IEEE permission. See https://www.ieee.org/publications/rights/index.html for more information. switching topologies as well. For example, Jadbabaie et al. [5] studied the case with accurate communications and switching topologies that are jointly connected, simulating a simple multiagent collaboration model. Hu et al. [23] employed a recursive projection identification algorithm to develop a control law and proved that the first-order switching MAS with binary-valued communications can achieve consensus with this control law. Meng et al. [24] proposed a control law based on an adaptive encoding–decoding scheme, demonstrating that the high-order switching MAS without communication noises can exponentially achieve consensus with finite bits of information.

Moreover, on the one hand, high-order systems play a critical role in various practical applications, such as formation control [1], [2], social networks [25], and so on. On the other hand, given the widespread use of digital communication, binaryvalued communication holds significant practical value due to its ability to reduce communication costs compared with other methods substantially. However, binary-valued communications and switching topologies result in less transmitted information, making theoretical analysis more complex, while the inclusion of high-order systems leads to greater complexity in the dynamics of MASs. Consequently, it is imperative and challenging to address the consensus problem of high-order MASs under binary-valued communications and switching topologies, which is precisely the purpose of this article. The main contributions of this article are as follows.

- 1) This article is the first to address the consensus problem of MAS with a high-order system, binary-valued communication, and switching topology simultaneously. In contrast to the existing works [22] and [23], this article has a more general model. To be specific, the states of agents in high-order MASs are dynamic even if the control input is absent, whereas the states of first-order MASs in [23] are static. Therefore, each agent needs to estimate its neighbors' states dynamically in this article, which makes state estimation more complicated. Besides, by jointly analyzing the structure feature of the topology graph and system model, this article relaxes the limitation on coefficient matrices in [22] and only requires the system to be marginally stable. On the other hand, this article only requires binary-valued transmission and has a lower communication cost than [24].
- 2) An estimation-based consensus algorithm, consisting of estimation and control, is designed. First, to overcome the challenge of unknown states caused by binary-valued communications, a recursive projection identification algorithm is presented to estimate the neighbors' states. Then, a consensus control law is designed based on the estimates of neighbors' states. It is worth mentioning that this article introduces an adjustable coefficient into the controller that removes the connectivity limitation on the graph structure in [23].
- 3) Two combined Lyapunov functions are designed to analyze the consensus of all agents and the convergence of the estimates, respectively. Through the analysis of these two Lyapunov functions, this article establishes the relation between them to overcome the difficulty resulting

from the coupling of the estimation and control. At the proper step coefficient, it is proven that the estimation errors of neighbors' states can converge to zero and the MAS can achieve weak consensus. Furthermore, even without connectivity constraint on the graph structure as mentioned in [23], the convergence rate of the estimation errors and the consensus rate can still reach the reciprocal of the recursion times as [23].

The rest of this article is organized as follows. Section II gives the preliminaries of basic concepts and graph theory and describes the consensus problem. Section III introduces the estimation-based consensus algorithm. The main results of this article are presented in Section IV, which include the main convergence and consensus results. In Section V, a simulation example is given. Finally, Section VI concludes this article.

II. PRELIMINARIES AND PROBLEM FORMULATION

In this section, we first give some basic concepts in matrix and graph theory, and subsequently formulate the system model and the consensus problems investigated in this article.

A. Basic Concepts

We use $x \in \mathbb{R}^n$ and $A \in \mathbb{R}^{n \times m}$ to denote *n*-dimensional column vector and $n \times m$ -dimensional real matrix, respectively. Denote $\vec{0}_m = [0, \ldots, 0]^T \in \mathbb{R}^m$ and $\vec{1}_m = [1, \ldots, 1]^T \in \mathbb{R}^m$, where the notation T denotes the transpose operator. Moreover, we denote $||x|| = ||x||_2$ and $||A|| = \sqrt{\lambda_{\max}(AA^T)}$ as the Euclidean norm of vector and matrix, respectively, where $\lambda_{\max}(\cdot)$ denotes the largest eigenvalue of the matrix. Correspondingly, $\lambda_{\min}(\cdot)$ denotes the smallest eigenvalue of the matrix. For symmetric matrices $A \in \mathbb{R}^{m \times m}$ and $B \in \mathbb{R}^{m \times m}$, $A \succeq B$ represents that A - B is a positive semidefinite matrix. diag $\{\cdot\}$ denotes the block-diagonal matrix. For arbitrary matrices $A = [a_{ij}] \in \mathbb{R}^{m \times n}$ and $B \in \mathbb{R}^{p \times q}$, the Kronecker product of A and B is defined as

$$A \otimes B \triangleq \begin{bmatrix} a_{11}B & a_{12}B & \cdots & a_{1n}B \\ a_{21}B & a_{22}B & \cdots & a_{2n}B \\ \vdots & \vdots & & \vdots \\ a_{m1}B & a_{m2}B & \cdots & a_{mn}B \end{bmatrix} \in \mathbb{R}^{mp \times nq}.$$

Besides, the mathematical expectation is denoted as $E[\cdot]$.

B. Graph Theory

In order to describe the relation between agents, we introduce a time-varying topology $G_{m(t)} = (N_0, E_{m(t)})$, where $m(t) \in \{1, 2, \ldots, h\}$ is a time-varying function, $N_0 = \{1, \ldots, N\}$ is the set of agents, and $E_{m(t)} \subseteq N_0 \times N_0$ is the ordered edges set of the topology $G_{m(t)}$. Moreover, assume that $G_{m(t)} \in \{G_1, G_2, \ldots, G_h\}$ and $E_{m(t)} \in \{E_1, E_2, \ldots, E_h\}$. Denote $N_i^{m(t)}$ as the neighbor set of the agent *i* in the topology $G_{m(t)}$. Denote the adjacency matrix of the *N* agents at time *t* as $A_{m(t)}$, where each element of the matrix $A_{m(t)}$ satisfies $a_{ij}^{m(t)} = 1$ if $(i, j) \in E_{m(t)}$, else $a_{ij}^{m(t)} = 0$. Denote the degree matrix of the *N* agents at time *t* as $D_{m(t)}$, where $D_{m(t)} =$ diag{ $d_1^{m(t)}, d_2^{m(t)}, \ldots, d_N^{m(t)}$ } and $d_i^{m(t)}$ is the degree of agent i at time t. Then, the Laplace matrix of $G_{m(t)}$ is defined as $L_{m(t)} = D_{m(t)} - A_{m(t)}$.

C. Problem Formulation

Consider the following MAS with N agents at time t:

$$x_i(t+1) = Ax_i(t) + Bu_i(t), \quad i = 1, \dots, N$$
(1)

where $A \in \mathbb{R}^{n \times n}$ and $B \in \mathbb{R}^{n \times m}$ are constant matrices, $x_i(t) \in \mathbb{R}^n$ is the state of the agent *i* at time *t*, and $u_i(t) \in \mathbb{R}^m$ is the control input of the agent *i* at time *t*.

Remark 1: As mentioned earlier, the consensus problem of high-order MASs has wide applications, such as formation control issues on a plane or in space, where agent states $x_i(t)$ are typically represented as 2-D or 3-D vectors [1], [2]. Besides, high-order system models are frequently encountered in social networks [25], such as when people simultaneously participate in discussions on multiple topics with state $x_i(t)$ in (1). Consequently, compared with first-order systems, high-order systems are more general and more commonly used in the real world. In addition, the system model of the form (1) is a typical high-order MAS, widely employed in [22], [24], [26], and [27].

The agent i receives the following binary-valued information with communication noise from its neighbor j:

$$\begin{cases} y_{ij}(t) = x_j(t) + d_{ij}(t) \\ s_{ij}(t) = \mathbb{1}_{\{y_{ij}(t) \le c_{ij}\}} \end{cases}$$
(2)

where the agent j is the neighbor of the agent i at time t, $d_{ij}(t) \in \mathbb{R}^n$ is the communicating noise, $y_{ij}(t) \in \mathbb{R}^n$ is the virtual output, $c_{ij} \in \mathbb{R}^n$ is the threshold value, $s_{ij}(t) \in \mathbb{R}^n$ is the binary-valued information that the agent i collects from its neighbor j, and $\mathbb{1}_{\{a < c\}}$ is the indicative function defined as

$$\mathbb{1}_{\{a \le c\}} = \left[\mathbb{1}_{\{a(1) \le c(1)\}}, \mathbb{1}_{\{a(2) \le c(2)\}}, \dots, \mathbb{1}_{\{a(n) \le c(n)\}}\right]^T$$

with $a = [a(1), a(2), \dots, a(n)]^T$, $c = [c(1), c(2), \dots, c(n)]^T$, and for $k = 1, 2, \dots, n$

$$\mathbb{1}_{\{a(k) \le c(k)\}} = \begin{cases} 1, & a(k) \le c(k) \\ 0, & a(k) > c(k). \end{cases}$$

Remark 2: The communication form of $\mathbb{1}_{\{a \le c\}}$ is commonly used in the communication field, such as [28], [29], [30], and [31]. In order to provide a clear understanding of the definition of $\mathbb{1}_{\{a \le c\}}$, an example is given as follows: if $a = [-1, 2, 5, -3, 0]^T$ and $c = [0, 0, 0, 0, 0]^T$, then $\mathbb{1}_{\{a \le c\}} = [1, 0, 0, 1, 1]^T$.

In order to proceed with our analysis, we introduce some assumptions about the graph, the noise, and the system coefficients.

Assumption 1: $\{G_1, G_2, \ldots, G_h\}$ are jointly connected and G_i emerges at time t with a probability $p_i(>0)$, for $i = 1, 2, \ldots, h$, where $\sum_{i=1}^h p_i = 1$.

Assumption 2: The noise $d_{ij}(t)$ is independent identically normally distributed as $N(0, \delta^2 I_n)$ for i, j, t, which implies that each element of $d_{ij}(t)$ has the same distribution function $F(\cdot)$ and the associated density function $f(\cdot)$, respectively. **Assumption 3:** $L_{m(t)}$ and $d_{ij}(t)$ are independent. Besides, $L_{m(t)}$ and $L_{m(l)}$ are independent for $t \neq l$.

Assumption 4: The system matrix A is an orthogonal matrix, and B is of full row rank.

Remark 3: Actually, by [32, Remark 2.3], we know that Assumption 4 can be relaxed to the case where the matrix Ais neutrally stable, which is common in the model assumptions and practical applications, such as [24], [32], [33], [34], and [35]. If the matrix A is neutrally stable but not orthogonal, there is a nonsingular matrix O such that $\tilde{A} = O^{-1}AO$ is orthogonal. Let $\tilde{x}_i(t) = O^{-1}x_i(t)$ and $\tilde{B} = O^{-1}B$. Then, $\tilde{x}_i(t+1) = \tilde{A}\tilde{x}_i(t) + \tilde{B}u_i(t)$, where \tilde{A} is orthogonal and \tilde{B} is of full row rank.

Moreover, Assumption 4 can be relaxed to the case that the matrix A is marginally stable. In detail, by [32, Remark 2.2], we know that if the matrix A is marginally stable but not neutrally stable, then there is a nonsingular matrix T such that $TAT^{-1} = \begin{bmatrix} 4 & -6 \end{bmatrix}$

 $\begin{bmatrix} A_s & 0\\ 0 & A_u \end{bmatrix}$, where A_s is stable and A_u is neutrally stable. As You and Xie [36] said, since the MAS with a stable coefficient matrix A_s can achieve consensus even if the control input is zero, we just need to focus on the neutrally stable part A_u . In contrast to [22, Assumption 2], Assumption 4 in this article is more general, which relaxes the restrictions on the coefficient matrices.

Now, we introduce the concept of weak consensus and the problem to be studied.

Definition 1 ([37, Def. 2] Weak Consensus): Denote $x_i(t)$ as the state of agent *i* at time *t*, where i = 1, ..., N. For all agents, if $x_i(t)$, i = 1, ..., N, satisfy the following:

- 1) $E[||x_i(t)||^2] < \infty, i = 1, \dots, N;$
- 2) $\lim_{t\to\infty} E[||x_i(t) x_j(t)||^2] = 0, \quad i, j \in \{1, \dots, N\}.$ Then, the agents are said to achieve weak consensus.

Problem: The goal of this article is to design a controller $u_i(t)$ based on binary-valued communications $s_{ij}(t)$ and switching topologies $G_{m(t)}$ to achieve weak consensus.

III. ALGORITHM DESIGN

This section focuses on the design of a consensus control algorithm. In general, the consensus control is designed by using the accurate states of the neighbors, as mentioned in [5], [9], [10], [11], and [12]. However, in this article, the agent can only obtain binary-valued communications from its neighbors. A straightforward idea is to replace the accurate states of neighbors with their estimates, so each agent should estimate its neighbors' states first by the binary-valued communications, and then, design the consensus control based on these estimates.

Based on the above idea, we propose an estimation-based consensus algorithm involving both estimation and control, named as Algorithm 1.

Remark 4: At the first step of Algorithm 1, the initial value of the estimate can be chosen arbitrarily, i.e., can be any given real number. The boundary M is then selected according to the initial values of states and estimates, which is a piece of global information of the MAS. By using the projection operator with boundary M, both the estimates and values of agents' states are

Algorithm 1: Estimation-Based Consensus Algorithm.

- i) **Initiation:** Denote the integer $t_0(>0)$ as the initial time. $x_i(t_0+1) = x_i^0$ is the initial state of the agent i, $\hat{x}_{ij}(t_0) = x_{ij}^0$ is the initial estimate of the agent jestimated by the agent i. And, denote M as the upper boundary for the norm of these initial values, i.e., $M \ge ||x_i^0||, M \ge ||x_{ij}^0||$. For $t \ge t_0 + 1$, the algorithm is as follows.
- ii) **Observation:** each agent *i* gets the binary-valued observations from its neighbors

$$\begin{cases} y_{ij}(t) = x_j(t) + d_{ij}(t), \\ s_{ij}(t) = \mathbb{1}_{\{y_{ij}(t) \le c_{ij}\}}, \end{cases}$$

where $j \in N_i^{m(t)}$, i = 1, ..., N, $m(t) \in \{1, ..., h\}$. iii) **Estimation:** each agent *i* estimates the state of its neighbor agent *j* at time *t* by

$$\hat{x}_{ij}(t) = \Pi_M \left\{ A \hat{x}_{ij}(t-1) + \frac{\beta}{t} (\mathcal{F}(c_{ij} - A \hat{x}_{ij}(t-1)) - s_{ij}(t)) \right\}, \quad (3)$$

where $j \in N_i^{m(t)}, \beta$ is the step coefficient for estimation updating, $\mathcal{F}(z) = [F(z_1), \dots, F(z_n)]^T$ for any $z = [z_1, z_2, \dots, z_n]^T \in \mathbb{R}^n, \Pi_M(\cdot)$ is a projection mapping defined as

$$\Pi_M(\zeta) = \operatorname*{arg\,min}_{\|\xi\| \le M} \|\zeta - \xi\|, \forall \zeta \in \mathbb{R}^n. \tag{4}$$

iv) **Controller:** based on these estimates, each agent *i* designs its control by

$$u_i(t) = \frac{\gamma}{(t+1)d_{\max}} B^T A \sum_{j \in N_i^{m(t)}} \left(\hat{x}_{ij}(t) - x_i(t) \right),$$
 (5)

where $d_{\max} = \max_{1 \le i \le N, 1 \le m(t) \le h} \{d_i^{m(t)}\}, 0 < \gamma < \infty$. v) **Repeat:** Let t = t + 1, go back to Step ii).

constrained within the bound of M as outlined in Algorithm 1. In other words, for any given system, the estimation-based consensus algorithm designed here can make the system consensus in the range determined by the initial values.

Remark 5: The projection mapping Π_M is used to guarantee the boundness of the estimates and good convergence effect in the initial iterative process of the algorithm, which is common in binary-valued identification, such as [21], [22], and [23]. It is used to construct the damping compression coefficients in the convergence analysis of the algorithm designed by the noise distribution function under binary-valued data.

Besides, as [22, Remark 4] says, the projection mapping given by (4) has the following property:

$$\|\Pi_M(x_1) - \Pi_M(x_2)\| \le \|x_1 - x_2\| \quad \forall x_1, x_2 \in \mathbb{R}^n.$$

Remark 6: By (1) and (5), the state of the agent *i* is updated as $x_i(t+1) = Ax_i(t) + \frac{\gamma B B^T A}{(t+1)d_{\max}} \sum_{j \in N_i^{m(t)}} (\hat{x}_{ij}(t) - x_i(t)).$

For the convenience of the subsequent analysis, we rewrite the above estimation and update in vector form.

First, define $x(t) = [x_1^T(t), x_2^T(t), \dots, x_N^T(t)]^T \in \mathbb{R}^{nN}$.

Then, denote the jointly connected topology formed by G_1, G_2, \ldots, G_h as $G = (N_0, E)$, where $E = E_1 \cup \cdots \cup E_h$ is the set of all the edges. Next, we consider the agent *i* in the jointly connected graph *G*, denote d_i as its degree and N_i as the set of its neighbors and $d = \sum_{i=1}^{N} d_i$. Based on these, denote

$$\hat{x}(t) = [\hat{x}_{1r_1}^T(t), \hat{x}_{1r_2}^T(t), \dots, \hat{x}_{1r_{d_1}}^T(t), \dots, \hat{x}_{ir_{d_1}+\dots+d_{i-1}+1}^T(t), \dots, \hat{x}_{ir_{d_1}+\dots+d_i}^T(t), \dots, \hat{x}_{Nr_{d_1}+\dots+d_N}^T(t)]^T \in \mathbb{R}^{nd}$$

where $r_{d_1+d_2+\dots+d_{i-1}+1}, \dots, r_{d_1+\dots+d_i} \in N_i$ for $i = 1, 2, \dots, N$.

Similarly, denote

$$S(t) = [s_{1r_1}^T(t), s_{1r_2}^T(t), \dots, s_{1r_{d_1}}^T(t), \dots, s_{ir_{d_1}+\dots+d_{i-1}+1}^T(t), \dots, s_{ir_{d_1}+\dots+d_i}^T(t), \dots, s_{ir_{d_1}+\dots+d_i}^T(t)]^T \in \mathbb{R}^{nd}$$

and

$$C = [c_{1r_1}^T, c_{1r_2}^T, \dots, c_{1r_{d_1}}^T, \dots, c_{ir_{d_1}+\dots+d_{i-1}+1}^T, \dots, c_{ir_{d_1}+\dots+d_i}^T, \dots, c_{ir_{d_1}+\dots+d_i}^T]^T \in \mathbb{R}^{nd}.$$

Without loss of generality, assume that the subscript r_s in vector $\hat{x}(t)$ represents the neighbor j of agent i, i.e., $\hat{x}_{ir_s}(t) = \hat{x}_{ij}(t)$, where $r_s \in N_i$, $s \in \{d_1 + d_2 + \cdots + d_{i-1} + 1, \ldots, d_1 + \cdots + d_i\}$. Based on the above notations, we construct three matrices to establish the relation of the states of agents and their estimates.

 $P_{m(t)}$ is designed to select each neighbor of each agent at time t. Define $P_{m(t)} = \text{diag}\{p_{m(t)}^{11}, p_{m(t)}^{22}, \dots, p_{m(t)}^{dd}\} \in \mathbb{R}^{d \times d}$, where $p_{m(t)}^{ss} = 1$ when $(i, r_s) \in E_{m(t)}$, else $p_{m(t)}^{ss} = 0$.

Q is designed to select the true state of the agent that correlates with its estimate. Define $Q = [Q_{1r_1}, \ldots, Q_{1r_{d_1}}, \ldots, Q_{Nr_{d_1}+\cdots+d_{N-1}+1}, \ldots, Q_{Nr_{d_1}+\cdots+d_N}]^T \in \mathbb{R}^{d \times N}$, where $Q_{ir_s} = Q_{ij} = [\vec{0}_{j-1}^T, 1, \vec{0}_{N-j}^T]^T \in \mathbb{R}^N$ for $(i, r_s) \in E$, else $Q_{ir_s} = \vec{0}_N$.

$$\begin{split} W_{m(t)} \text{ is designed to select the neighbor set of each agent} \\ \text{at time } t. \text{ Define } W_{m(t)} = [W_{m(t)}^1, \dots, W_{m(t)}^N]^T \in \mathbb{R}^{N \times d}, \\ \text{where } W_{m(t)}^i = [\vec{0}_{d_1 + \dots + d_{i-1}}, b_1, \dots, b_{d_i}, \vec{0}_{d_{i+1} + \dots + d_N}]^T \in \mathbb{R}^d \\ \text{for } i \in \{1, \dots, N\} \quad \forall k_i \in \{1, \dots, d_i\}, \quad b_{k_i} = 1 \quad \text{when} \\ (i, r_{k_i + d_1 + \dots + d_{i-1}}) \in E_{m(t)}, \text{else } b_{k_i} = 0. \end{split}$$

Based on the above matrices, the vector forms of estimation and update are given as follows.

1) Estimation:

$$\hat{x}(t) = \mathbf{\Pi}_{M} \left\{ (I_d \otimes A) \hat{x}(t-1) + \frac{\beta}{t} (P_{m(t)} \otimes I_n) \\ \times (\Phi_F(C - (I_d \otimes A) \hat{x}(t-1)) - s(t)) \right\}$$
(6)

where $\mathbf{\Pi}_{\boldsymbol{M}}(z) = [\Pi_{M}^{T}(z_{1}), \dots, \Pi_{M}^{T}(z_{d})]^{T}$ and $\Phi_{F}(z) = [\mathcal{F}^{T}(z_{1}), \dots, \mathcal{F}^{T}(z_{d})]^{T}$, for any $z = [z_{1}^{T}, z_{2}^{T}, \dots, z_{d}^{T}]^{T} \in \mathbb{R}^{nd}$, $z_{k} \in \mathbb{R}^{n}$ for $k = 1, \dots, d$.

2) Update:

$$x(t+1) = \left(I_N \otimes A - \frac{\gamma}{(t+1)d_{\max}} L_{m(t)} \otimes BB^T A\right) x(t) + \frac{\gamma}{(t+1)d_{\max}} (W_{m(t)} \otimes BB^T A) \varepsilon(t)$$
(7)

where $\varepsilon(t) = \hat{x}(t) - (Q \otimes I_n)x(t)$ is the estimation error.

IV. MAIN RESULT

In this section, we will show that all agents can achieve weak consensus and give the corresponding consensus rate.

To prove each agent can achieve weak consensus, we give the following lemmas first.

Lemma 1: (See [23]). Denote $\check{L} = \sum_{i=1}^{h} p_i L_i$. If Assumption 1 holds, then matrix \check{L} has the following properties.

1) \hat{L} is a nonnegative definite matrix with rank n-1.

2) $\check{L}^2 \succeq \frac{\lambda_2^2}{\lambda_N} \check{L}$, where λ_2 and λ_N are the smallest positive eigenvalue and the largest eigenvalue of \check{L} , respectively.

Lemma 2: The agent states $x_i(t)$ and the estimates $\hat{x}_{ij}(t)$ are all bounded, i.e., $||x_i(t)|| \le M$ and $||\hat{x}_{ij}(t)|| \le M$, where M is the upper boundary for the norm of initial values, $i = 1, 2, \ldots, N, j \in N_i^{m(t)}, t \ge t_0 + 1$.

Proof: First, due to the definition of M, we can get $||x_i^0|| \le M$, $||x_{ij}^0|| \le M$. By the estimation (3) and the definition of $\Pi_M(\cdot)$ (4), we have $||\hat{x}_{ij}(t)|| \le M$ for $t \ge t_0 + 1$.

Then, assume that $||x_i(k)|| \le M$ for $k = t_0 + 1, t_0 + 2, \ldots, t$, we have the following.

- 1) When there is no neighbor of the agent *i* at time *t*, by Remark 6, we can get $x_i(t+1) = Ax_i(t)$. Since *A* is an orthogonal matrix, we have $||x_i(t+1)|| \le ||A|| ||x_i(t)|| \le ||x_i(t)|| \le M$.
- 2) When there exists neighbor of the agent *i* at time *t*, by Remark 6, we can get

$$\begin{aligned} \|x_{i}(t+1)\| \\ &= \left\| Ax_{i}(t) + \frac{\gamma BB^{T}A}{(t+1)d_{\max}} \sum_{j \in N_{i}^{m(t)}} \left(\hat{x}_{ij}(t) - x_{i}(t) \right) \right\| \\ &= \left\| Ax_{i}(t) - \frac{d_{i}^{m(t)}\gamma BB^{T}}{(t+1)d_{\max}} Ax_{i}(t) + \frac{d_{i}^{m(t)}\gamma BB^{T}A}{(t+1)d_{\max}} \right. \\ &\left. \cdot \sum_{j \in N_{i}^{m(t)}} \frac{1}{d_{i}^{m(t)}} \hat{x}_{ij}(t) \right\| \\ &= \left\| \left(I_{n} - \frac{d_{i}^{m(t)}\gamma BB^{T}}{(t+1)d_{\max}} \right) Ax_{i}(t) + \frac{d_{i}^{m(t)}\gamma BB^{T}}{(t+1)d_{\max}} \\ &\left. \cdot A \sum_{j \in N_{i}^{m(t)}} \frac{1}{d_{i}^{m(t)}} \hat{x}_{ij}(t) \right\|. \end{aligned}$$

Since $d_i^{m(t)} > 0$ and $\sum_{j \in N_i^{m(t)}} \frac{1}{d_i^{m(t)}} = d_i^{m(t)} \frac{1}{d_i^{m(t)}} = 1$, we have $\|A \sum_{j \in N_i^{m(t)}} \frac{1}{d_i^{m(t)}} \hat{x}_{ij}(t)\| \le \|A\| \|\sum_{j \in N_i^{m(t)}} \frac{1}{d_i^{m(t)}} \hat{x}_{ij}(t)\| \le M$. Moreover, for arbitrary γ , we can choose an initial time t_0 that satisfies $0 < \frac{d_i^{m(t)} \gamma B B^T}{(t+1)d_{\max}} < I_n$ when $t \ge t_0 + 1$. Since $\|(I_n - \frac{d_i^{m(t)} \gamma B B^T}{(t+1)d_{\max}}) + \frac{d_i^{m(t)} \gamma B B^T}{(t+1)d_{\max}}\| = \|I_n\| = 1$ and $\|Ax_i(t)\| \le M$, we can get

$$\begin{aligned} \|x_i(t+1)\| &\leq \left\| \left(I_n - \frac{d_i^{m(t)} \gamma B B^T}{(t+1)d_{\max}} \right) M \\ &+ \frac{d_i^{m(t)} \gamma B B^T}{(t+1)d_{\max}} M \right\| \\ &\leq M. \end{aligned}$$

Thus, by induction, we have $||x_i(t)|| \le M$ for all $t \ge t_0 + 1$. The lemma is proved.

Then, to jointly analyze the structure of the topology graph and system model, we provide the following lemma.

Lemma 3: For positive semidefinite matrices $A_i \in \mathbb{R}^{n \times n}$ and $B_i \in \mathbb{R}^{m \times m}$ (i = 1, 2), if $A_1 \succeq A_2$ and $B_1 \succeq B_2$, then

$$A_1 \otimes B_1 \succeq A_2 \otimes B_2.$$

Proof: For arbitrary positive semidefinite matrices $A \in \mathbb{R}^{n \times n}$ and $B \in \mathbb{R}^{m \times m}$, denote $\lambda_1, \lambda_2, \ldots, \lambda_n$ and $\mu_1, \mu_2, \ldots, \mu_m$ as the eigenvalues of A and B, respectively. Then, by [38, Thm. 4.2.12], $\lambda_i \mu_j$ are the eigenvalues of $A \otimes B$, where $i = 1, \ldots, n$ and $j = 1, \ldots, m$. Since $A \succeq 0$ and $B \succeq 0$, we have $\lambda_i \ge 0$ and $\mu_j \ge 0$, thus $\lambda_i \mu_j \ge 0$.

Then, by the definition of the Kronecker product, we have $(A \otimes B)^T = A^T \otimes B^T = A \otimes B$, i.e., $A \otimes B$ is symmetric as well. This, together with $\lambda_i \mu_j \ge 0$, yields $A \otimes B \succeq 0$.

From the above conclusion and the distributive property of the Kronecker product, we have

$$A_1 \otimes B_1 - A_2 \otimes B_1 = (A_1 - A_2) \otimes B_1 \succeq 0$$
$$A_2 \otimes B_1 - A_2 \otimes B_2 = A_2 \otimes (B_1 - B_2) \succeq 0.$$

Thus, we have $A_1 \otimes B_1 \succeq A_2 \otimes B_1 \succeq A_2 \otimes B_2$.

Next, we introduce two Lyapunov functions, V(t) and R(t), to analyze the weak consensus of all agents and the convergence properties of estimates, respectively. These functions are defined as follows:

$$V(t) = E[x^{T}(t)(L_{m(t)} \otimes I_{n})x(t)]$$
(8)

$$R(t) = E[\varepsilon^{T}(t)\varepsilon(t)].$$
(9)

Then, the following two lemmas show the coupling relations of the two Lyapunov functions.

Lemma 4: Under Assumptions 1–4, V(t) satisfies

$$\begin{split} V(t) &\leq \left(1 - \frac{3\gamma\lambda_2^2\lambda_{ab}}{2t\lambda_N d_{\max}}\right)V(t-1) + \frac{2\gamma\lambda_W\lambda_N\lambda_{AB}^2}{td_{\max}\lambda_2^2\lambda_{ab}} \\ &\cdot R(t-1) + \frac{\hat{B}}{t^2} \end{split}$$

where $\lambda_{ab} = \lambda_{\min}(A^T B B^T A), \quad \lambda_{AB} = \lambda_{\max}(A^T B B^T A),$ $\lambda_W = \max_{1 \le i \le h} \{\lambda_{\max}\{W_i^T \check{L} W_i\}\}, \text{ and } \hat{B} \text{ is a constant.}$ **Proof:** See proof in Appendix A.

Lemma 5: Under Assumptions 1–4, R(t) satisfies

$$R(t) \leq \left(1 - \frac{1}{td_{\max}} \left(2\beta p_{\min} f_M d_{\max} - \gamma \alpha\right)\right) R(t-1) + \frac{2\gamma \lambda_W \lambda_N \lambda_{AB}^2}{td_{\max} \lambda_2^2 \lambda_{ab}} V(t-1) + \frac{\tilde{B}}{t^2}$$

where $p_{\min} = \min_{1 \le i \le h} \{p_i\}, f_M = \min_{i,j,k} f(|c_{ijk}| + M),$ $\begin{array}{l} \lim_{l \leq l \leq h} \left\{ p_{l} \right\}, \quad \lim_{l \leq l \leq h} \left\{ p_{l} \right\}, \quad j_{M} \quad \lim_{l \neq l, j, k} f(|e_{l} j_{k}| + M), \\ c_{ijk} \quad \text{is the } k \text{th element of } c_{ij}, \quad \lambda_{QL} = \max_{1 \leq i \leq h} \left\{ \lambda_{\max} \left\{ QL_{i} Q^{T} \right\} \right\}, \quad \lambda_{Q} = \lambda_{\max} \left\{ QQ^{T} \right\}, \quad \lambda_{\tilde{W}} = \max_{1 \leq i \leq h} \left\{ \lambda_{\max} \left\{ W_{i}^{T} W_{i} \right\} \right\}, \quad \alpha = \frac{\lambda_{2}^{2} \lambda_{QL} \lambda_{ab}}{2\lambda_{N} \lambda_{W}} + 2\lambda_{AB} \sqrt{\lambda_{Q} \lambda_{\tilde{W}}}, \quad \text{and } \tilde{B} \text{ is a} \end{array}$ constant.

Proof: See proof in Appendix B.

By Lemmas 4 and 5, we establish the relation between these two Lyapunov functions. Then, a new function Z(t) = $(V(t), R(t))^T$ is constructed to jointly analyze their properties, to overcome the difficulty resulting from the coupling of the estimation and control.

Lemma 6: (See [23]). If Assumptions 1–4 hold, then

$$||Z(t)|| \le ||\left(I - \frac{1}{t}U\right)Z(t-1)|| + \frac{1}{t^2}||H||$$
$$||Z(t)|| = \begin{cases} O\left(\frac{1}{t^{\lambda_{\min}(U)}}\right), & \lambda_{\min}(U) < 1\\ O\left(\frac{\ln t}{t}\right), & \lambda_{\min}(U) = 1\\ O\left(\frac{1}{t}\right), & \lambda_{\min}(U) > 1 \end{cases}$$

where $U = \begin{bmatrix} u_1 & u_2 \\ u_2 & u_4 \end{bmatrix}$, $H = \begin{bmatrix} \hat{B}, \tilde{B} \end{bmatrix}^T$, $u_1 = \frac{3\gamma\lambda_2^2\lambda_{ab}}{2\lambda_N d_{\max}}$, $u_2 = \frac{-2\gamma\lambda_W\lambda_N\lambda_{AB}^2}{d_{\max}\lambda_2^2\lambda_{ab}}$, $u_4 = \frac{1}{d_{\max}}(2\beta p_{\min}f_M d_{\max} - \gamma\alpha)$, and α is the same as in Lemma 5.

Remark 7: Noticing that $0 \le V(t) \le ||Z(t)||$ and $0 \le 0$ $R(t) \leq ||Z(t)||$, we can transform the analysis of weak consensus and estimate convergence property into analyzing the convergence of Z(t).

Theorem 1: Under Assumptions 1–4, the switching MASs (1) and (2) achieve weak consensus and the estimates of states converge to the real states, i.e.,

$$\lim_{t \to \infty} E[\|x_i(t) - x_j(t)\|^2] = 0$$
$$\lim_{t \to \infty} E[\|\hat{x}_{ij}(t) - x_j(t)\|^2] = 0$$

when $\beta > \frac{1}{2p_{\min}f_M}(\frac{u_2^2}{u_1} + \frac{\gamma\alpha}{d_{\max}})$ with u_1, u_2 , and α being given in Lemmas 5 and 6.

Proof: Let $|\lambda I - U| = (\lambda - u_1)(\lambda - u_4) - u_2^2 = 0$. Then

$$\lambda_{\min}(U) = \frac{1}{2} \left(u_1 + u_4 - \sqrt{(u_1 + u_4)^2 - 4(u_1u_4 - u_2^2)} \right).$$

If $\beta > \frac{1}{2p_{\min}f_M}(\frac{u_2^2}{u_1} + \frac{\gamma\alpha}{d_{\max}})$, then we have $u_1u_4 > u_2^2$. Since $u_1 > 0$ and $u_1u_4 > u_2^2$, $\lambda_{\min}(U) > 0$.

By Lemma 6, we have

$$\|Z(t)\| = \begin{cases} O\left(\frac{1}{t^{\lambda_{\min}(U)}}\right), & \lambda_{\min}(U) < 1\\ O\left(\frac{\ln t}{t}\right), & \lambda_{\min}(U) = 1\\ O\left(\frac{1}{t}\right), & \lambda_{\min}(U) > 1. \end{cases}$$



Fig. 1. Switching topologies.

Since $\lambda_{\min}(U) > 0$, there is $\lim_{t\to\infty} ||Z(t)|| = 0$. By Remark 7, we have

$$\lim_{t \to \infty} V(t) = 0, \lim_{t \to \infty} R(t) = 0.$$
⁽¹⁰⁾

Denote the Laplacian matrix of G as L_G and $\sum_{i=1}^{h} L_i L_G \triangleq L_{\sum -G}$. By the relation between $\{G_1, G_2, \ldots, G_h\}$ and G, we know that $L_{\sum -G}$ is a Laplacian matrix of a weighted graph. Then, we have $\sum_{i=1}^{h} L_i - L_G = L_{\sum -G} \succeq 0$, i.e., $\sum_{i=1}^{h} L_i \succeq L_G$. Since $p_i > 0$ and $\sum_{i=1}^{h} p_i = 1$, we have

$$L_G \preceq \sum_{i=1}^h L_i \preceq \sum_{i=1}^h \frac{p_i}{p_{\min}} L_i$$

By Assumption 1, $\{G_1, G_2, \ldots, G_h\}$ are jointly connected, then there exists a road between any different agents i and j in the network G. Suppose the road is as follows:

$$i = r_0 \to r_1 \to r_2 \to \dots \to r_{p-1} \to r_p = j, \quad p \le N$$

which implies $r_{i+1} \in N_{r_i}$. Then, the mean-square error of any two different agents satisfies

$$E[\|x_{i}(t) - x_{j}(t)\|^{2}]$$

$$= E[\|(x_{r_{0}}(t) - x_{r_{1}}(t)) + (x_{r_{1}}(t) - x_{r_{2}}(t))$$

$$+ \dots + (x_{r_{p-1}}(t) - x_{r_{p}}(t))\|^{2}]$$

$$\leq N \sum_{i=1}^{N} \sum_{j \in N_{i}} E[\|x_{i}(t) - x_{j}(t)\|^{2}]$$

$$\leq 2NE[x^{T}(t)(L_{G} \otimes I_{n})x(t)]$$

$$\leq 2NE\left[x^{T}(t)\left(\sum_{i=1}^{h} \frac{p_{i}}{p_{\min}}L_{i} \otimes I_{n}\right)x(t)\right] = \frac{2N}{p_{\min}}V(t).$$
(11)

Meanwhile

$$E[\|\hat{x}_{ij}(t) - x_j(t)\|^2]$$

$$\leq \sum_{i=1}^N \sum_{j \in N_i} E[\|\hat{x}_{ij}(t) - x_j(t)\|^2] = R(t).$$
(12)

Substituting (10) into (11) and (12) gives the theorem. Theorem 2: Under Assumptions 1-4, the switching MASs (1) and (2) achieve weak consensus at the rate of $O(\frac{1}{t})$, and the



Fig. 2. Estimates of neighbors' states.

convergence rate of the estimation error reach $O(\frac{1}{t})$, i.e.,

$$E[||x_i(t) - x_j(t)||^2] = O\left(\frac{1}{t}\right)$$
$$E[||\hat{x}_{ij}(t) - x_j(t)||^2] = O\left(\frac{1}{t}\right)$$

when $\beta > \frac{1}{2p_{\min}f_M}(\frac{u_2^2}{u_1-1} + \frac{\gamma\alpha}{d_{\max}} + 1)$ and $\gamma > \frac{2\lambda_N d_{\max}}{3\lambda_2^2\lambda_{ab}}$, with u_1, u_2 , and α being given in Lemmas 5 and 6.

Proof: Similar to the proof of Theorem 1, if $\beta >$ $\frac{1}{2p_{\min}f_M}(\frac{u_2^2}{u_1-1}+\frac{\gamma\alpha}{d_{\max}}+1)$, we have

$$u_4 > \frac{u_2^2}{u_1 - 1} + 1$$

If $\gamma > \frac{2\lambda_N d_{\max}}{3\lambda_2^2 \lambda_{ab}}$, then $u_1 - 1 > 0$ and $u_4(u_1 - 1) > u_2^2 + u_1 - 1$. Therefore

$$(u_1 + u_4)^2 - 4(u_1u_4 - u_2^2) < (u_1 + u_4 - 2)^2$$

and hence, we have $\lambda_{\min}(U) > 1$. By Lemma 6, we have

$$||Z(t)|| = O\left(\frac{1}{t}\right).$$

Then, by Remark 7, we have

$$V(t) = O\left(\frac{1}{t}\right), R(t) = O\left(\frac{1}{t}\right).$$

By (11) and (12), we can obtain the theorem.

Remark 8: Theorems 1 and 2 demonstrate that the consensus properties of MASs and the convergence properties of the estimation algorithm (3) depend on the step coefficients β and γ . To be specific, Theorem 1 shows that the estimation algorithm can converge and the MASs can achieve consensus for the case of $\beta > \frac{1}{2p_{\min}f_M} \left(\frac{u_2^2}{u_1} + \frac{\gamma\alpha}{d_{\max}}\right) \text{ and } \gamma > 0. \text{ Theorem 2 shows that if } \beta > \frac{1}{2p_{\min}f_M} \left(\frac{u_2^2}{u_1 - 1} + \frac{\gamma\alpha}{d_{\max}} + 1\right) \text{ and } \gamma > \frac{2\lambda_N d_{\max}}{3\lambda_2^2 \lambda_{ab}} \text{ are satisfied,}$ then the convergence rate of the estimation algorithm and the consensus rate among the MASs can achieve $O(\frac{1}{t})$, which is the fastest convergence order of the proposed algorithm with the decay step size in this article according to Lemma 6, Remark 7, (11), and (12).

Remark 9: Different from [21] and [23], this article introduces the coefficient γ into the controller, which removes the previous constraint for the graph structure, such as $\frac{\lambda_2^2}{\lambda_N} > 1$ in [21] and $\frac{3\lambda_2^2}{2\lambda_N d_{\max}} > 1$ in [23]. This implies that by selecting appropriate γ and β , the system can attain consensus and convergence rates of $O(\frac{1}{t})$, as long as the graphs are connected or jointly connected.

V. NUMERICAL SIMULATION

This section will illustrate the theoretical results with a simulation example.

Consider a third-order MAS that has six agents, the state of the agent *i* is as follows:

$$x_i(t+1) = Ax_i(t) + Bu_i(t), \quad i = 1, 2, 3, 4, 5, 6$$
$$\begin{bmatrix} 1 & 0 & -1 \end{bmatrix}$$

where

There $A = \begin{bmatrix} -1 & 0 & 0 \\ 1 & 1 & 0 \end{bmatrix}$ and $B = \begin{bmatrix} -1.55 & -0.55 & 0 \\ 1 & -0.45 & 1.2 \end{bmatrix}$. *A* is not orthogonal but neutrally -0.5 -1.1 -1.15

stable, as indicated in Remark 3, since its eigenvalues are $\{1, i, -i\}$. On the other hand, B is of full row rank, satisfying Assumption 4. Therefore, both A and B are satisfying the underlying conditions of this article.

The switching topologies are shown in Fig. 1, with $p_1 = 7/24$, $p_2 = 1/3$, and $p_3 = 3/8$. These topologies are jointly connected and satisfy Assumption 1.

Besides, we assume that the communication noises between agents are distributed as $N(0, 64 \cdot I_3)$, which satisfies Assumptions 2 and 3. Take the initial state as $x_1^0 = \vec{1}_3$, $x_2^0 = 1.5 \cdot \vec{1}_3$, $x_3^0 = 3 \cdot \vec{1}_3$, $x_4^0 = 2 \cdot \vec{1}_3$, $x_5^0 = -2 \cdot \vec{1}_3$, and $x_6^0 = -\vec{1}_3$, and the initial estimate as $\hat{x}^0 = \vec{0}_{90}$, and set the boundary M = 6. Then, by Theorem 2 and Remark 8, we set $\gamma = 2$ and $\beta = 2682$ because of $\frac{2\lambda_N d_{\max}}{3\lambda_2^2\lambda_{ab}} = 0.9642$ and $\frac{1}{2p_{\min}f_M}(\frac{u_2^2}{u_1-1} + \frac{\gamma\alpha}{d_{\max}} + 1) = 2681$. Using the estimation-based consensus algorithm, one can get the following simulation results.





Fig. 4. Trajectory of the logarithm of mse.

As shown in Figs. 2 and 3, the states of all agents achieve consensus, and the estimates of the neighbors' states also approach their real states. Besides, Fig. 4 illustrates that the estimation errors can converge to 0 at the rate of $O(\frac{1}{t})$ and each agent can achieve weak consensus at the same rate.

VI. CONCLUSION

This article addresses the consensus problem of highorder MASs with binary-valued communications and switching topologies. An estimation-based consensus algorithm, consisting of an estimation term and a control term, is proposed. Through the construction and analysis of two combined Lyapunov functions, corresponding to the estimation error and consensus error, this article overcomes the challenges resulting from the coupling between estimation and control. It is demonstrated that the estimation error can converge to zero and all agents can achieve weak consensus under jointly connected topologies. Furthermore, it is also shown that both the rate of convergence and consensus can reach the reciprocal of the recursion times with appropriate coefficients.

Future research on the consensus problem in high-order MASs under binary-valued communications presents several intriguing challenges. For instance, if the coefficient matrix A is unstable, does the proposed algorithm remain effective? If

not, what modifications can be made to enhance the algorithm's performance?

APPENDIX A PROOF OF LEMMA 4

Let

$$\begin{split} V_{1} = E \left[x^{T}(t-1) \left(I_{N} \otimes A^{T} - \frac{\gamma L_{m(t-1)}}{t d_{\max}} \otimes A^{T} B B^{T} \right) \left(L_{m(t)} \right) \\ & \otimes I_{n} \right) \left(I_{N} \otimes A - \frac{\gamma L_{m(t-1)}}{t d_{\max}} \otimes B B^{T} A \right) x(t-1) \right] \\ V_{2} = \frac{2\gamma}{t d_{\max}} E \left[x^{T}(t-1) \left(I_{N} \otimes A^{T} - \frac{\gamma L_{m(t-1)}}{t d_{\max}} \otimes A^{T} B B^{T} \right) \right) \\ & \cdot \left(L_{m(t)} \otimes I_{n} \right) \left(W_{m(t-1)} \otimes B B^{T} A \right) \varepsilon(t-1) \right] \\ V_{3} = \frac{\gamma^{2}}{t^{2} d_{\max}^{2}} E \left[\varepsilon^{T}(t-1) \left(W_{m(t-1)}^{T} \otimes A^{T} B B^{T} \right) \left(L_{m(t)} \otimes I_{n} \right) \\ & \cdot \left(W_{m(t-1)} \otimes B B^{T} A \right) \varepsilon(t-1) \right]. \end{split}$$

Then, from (7) and (8), it follows that:

$$V(t) = E[x^{T}(t)(L_{m(t)} \otimes I_{n})x(t)] = V_{1} + V_{2} + V_{3}.$$
 (A1)

Fig. 3.

First, by the property of conditional expectation, we get $E[x^T(t)(L_{m(t)} \otimes I_n)x(t)] = E[E[x^T(t)(L_{m(t)} \otimes I_n)x(t)]$ x(t)]] = $E[x^{T}(t)(\check{L} \otimes I_{n})x(t)]$. Similarly, by Assumptions 2 and 3, we have

$$V_{1} = E \left[E \left[x^{T}(t-1) \left(I_{N} \otimes A^{T} - \frac{\gamma L_{m(t-1)}}{t d_{\max}} \otimes A^{T} B B^{T} \right) \right. \\ \left. \cdot \left(\check{L} \otimes I_{n} \right) \left(I_{N} \otimes A - \frac{\gamma L_{m(t-1)}}{t d_{\max}} \otimes B B^{T} A \right) \right. \\ \left. \times x(t-1) \left[x(t-1) \right] \right] \right] \\ = E \left[x^{T}(t-1) \left(\check{L} \otimes I_{n} - \frac{2\gamma \check{L}^{2} \otimes A^{T} B B^{T} A}{t d_{\max}} + \frac{\gamma^{2}}{t^{2} d_{\max}^{2}} \right. \\ \left. \cdot E \left[(L_{m(t-1)} \check{L} L_{m(t-1)}) \otimes A^{T} B B^{T} B B^{T} A \right] \right) x(t-1) \right].$$

Moreover, by Lemmas 1-3, we have $\check{L}^2 \otimes A^T B B^T A \succeq$ $\left(\frac{\lambda_2^2}{\lambda_N}\check{L}\right)\otimes\left(\lambda_{ab}I_n\right)=\frac{\lambda_2^2\lambda_{ab}}{\lambda_N}\check{L}\otimes I_n$, and

$$E\left[x^{T}(t-1)\left(\check{L}\otimes I_{n}-\frac{2\gamma\check{L}^{2}\otimes A^{T}BB^{T}A}{td_{\max}}\right)x(t-1)\right]$$

$$\leq \left(1-\frac{2\gamma\lambda_{2}^{2}\lambda_{ab}}{t\lambda_{N}d_{\max}}\right)E[x^{T}(t-1)(\check{L}\otimes I_{n})x(t-1)].$$

Then, by Lemma 2, we have

$$V_1 \le \left(1 - \frac{2\gamma\lambda_2^2\lambda_{ab}}{t\lambda_N d_{\max}}\right)V(t-1) + \frac{B_1}{t^2}$$
(A2)

where $0 < B_1 < \infty$.

Similarly, by Assumptions 2 and 3, we obtain

$$V_{2} = \frac{2\gamma}{td_{\max}} E\left[E\left[x^{T}(t-1)\left(I_{N}\otimes A^{T}-\frac{\gamma L_{m(t-1)}}{td_{\max}}\otimes A^{T}B\right)\left(L_{m(t)}\otimes I_{n}\right)\left(W_{m(t-1)}\otimes BB^{T}A\right)\varepsilon(t-1)\right.\right.\\\left.\left.\left.\left.\left.\left.\left.\left(x(t-1),\hat{x}(t-1),L_{m(t-1)}\right)\right\right]\right]\right]\right]\right]$$
$$= \frac{2\gamma}{td_{\max}}E\left[x^{T}(t-1)\left(I_{N}\otimes A^{T}-\frac{\gamma L_{m(t-1)}}{td_{\max}}\otimes A^{T}BB^{T}\right)\right.\\\left.\left.\left.\left(\check{L}\otimes I_{n}\right)\left(W_{m(t-1)}\otimes BB^{T}A\right)\varepsilon(t-1)\right]\right]\right]$$

Since L is a positive semidefinite matrix, there exists a matrix \tilde{L} such that $\check{L} = \tilde{L}^T \tilde{L}$. Then, substituting this decomposition into the above equation and using the Schwarz inequality give

$$V_{2} \leq \frac{2\gamma}{td_{\max}} \left(E \left[x^{T}(t-1) \left(I_{N} \otimes A^{T} - \frac{\gamma L_{m(t-1)}}{td_{\max}} \otimes A^{T} B B^{T} \right) \right) \right)$$
$$\cdot \left(\tilde{L}^{T} \otimes I_{n} \right) \left(\tilde{L} \otimes I_{n} \right) \left(I_{N} \otimes A - \frac{\gamma L_{m(t-1)}}{td_{\max}} \otimes B B^{T} A \right)$$
$$x(t-1)])^{\frac{1}{2}} \cdot \left(E \left[\varepsilon^{T}(t-1) \left(W_{m(t-1)}^{T} \otimes A^{T} B B^{T} \right) \right) \right)$$

$$\left(\tilde{L}^T \tilde{L} \otimes I_n\right) \cdot \left(W_{m(t-1)} \otimes BB^T A\right) \varepsilon(t-1)\right] \right)^{\frac{1}{2}}.$$

By Assumption 4, we have $AA^T = I_n$, $\lambda(B) \neq 0$, and then, $\lambda(A^TBB^TBB^TA) = \lambda(A^TBB^TAA^TBB^TA) = \lambda^2(A^TB^TA)$. By $\lambda(W_{m(t-1)}^T \check{L}W_{m(t-1)}) \leq \lambda_W$, $\lambda(A^TBB^TBB^TAB^TA)$. $A \leq \lambda_{AB}^2$, and Lemma 3, we have

$$\begin{split} V_{2} &\leq \frac{2\gamma}{td_{\max}} \sqrt{\left[\left(1 - \frac{2\gamma\lambda_{2}^{2}\lambda_{ab}}{t\lambda_{N}d_{\max}} \right) V(t-1) \right] \cdot \left[\lambda_{W}\lambda_{AB}^{2}R(t-1) \right]} \\ &+ \frac{B_{2}}{t^{2}} \\ &\leq \frac{2\gamma}{td_{\max}} \sqrt{V(t-1)\lambda_{W}\lambda_{AB}^{2}R(t-1)} + \frac{B_{2}}{t^{2}} \\ &\leq \frac{\gamma}{td_{\max}} \left(\frac{\lambda_{2}^{2}\lambda_{ab}}{2\lambda_{N}} V(t-1) + \frac{2\lambda_{W}\lambda_{AB}^{2}\lambda_{N}}{\lambda_{2}^{2}\lambda_{ab}} R(t-1) \right) \\ &+ \frac{B_{2}}{t^{2}} \end{split}$$
(A3)

when $t > \max\{\frac{2\gamma\lambda_2^2\lambda_{ab}}{\lambda_N d_{\max}}, t_0\}$, where $0 < B_2 < \infty$. Since Q is a constant matrix, $\varepsilon(t)$ is bounded. Moreover, A is a constant matrix and $W_{m(t)}$ is finite, thus

$$V_3 \le \frac{B_3}{t^2} \tag{A4}$$

where $0 < B_3 < \infty$.

By (A1)–(A4), we can obtain the lemma.

APPENDIX B PROOF OF LEMMA 5

Let

$$R_{2} = \frac{2\beta}{t} E\left[\varepsilon^{T}(t-1)(I_{d} \otimes A^{T})(P_{m(t)} \otimes I_{n})\right.$$
$$\left. \cdot \left(\Phi_{F}(C-(I_{d} \otimes A)\hat{x}(t-1)) - s(t)\right)\right]$$
$$R_{3} = \frac{2\gamma}{td_{\max}} E\left[\varepsilon^{T}(t-1)\left((QL_{m(t-1)} \otimes A^{T}BB^{T}A)\right.$$
$$\left. \cdot x(t-1) - (QW_{m(t-1)} \otimes A^{T}BB^{T}A)\varepsilon(t-1)\right)\right]$$

Then, from (6), (9), Remark 5, and the definition of $\varepsilon(t)$, we have

$$\begin{aligned} R(t) &= E[\varepsilon^{T}(t)\varepsilon(t)] \\ &\leq E\left[\left((I_{d}\otimes A)\hat{x}(t-1) + \frac{\beta}{t}(P_{m(t)}\otimes I_{n})\left(\Phi_{F}(C-(I_{d}\otimes A))\right)^{T}\right) \\ &\cdot \hat{x}(t-1) - s(t)\right) - (Q\otimes I_{n})x(t)\right]^{T} \\ &\cdot \left((I_{d}\otimes A)\hat{x}(t-1) + \frac{\beta}{t}(P_{m(t)}\otimes I_{n})\left(\Phi_{F}(C-(I_{d}\otimes A))\right)^{T}\right) \\ &\cdot \hat{x}(t-1) - s(t) - (Q\otimes I_{n})x(t)\right] \\ &= E\left[\left(\varepsilon^{T}(t-1)(I_{d}\otimes A^{T}) + \frac{\beta}{t}\left((P_{m(t)}\otimes I_{n})\left(\Phi_{F}(C-(I_{d}\otimes A))\right)^{T}\right)\right] \\ &= E\left[\left(\varepsilon^{T}(t-1)(I_{d}\otimes A^{T}) + \frac{\beta}{t}\left((P_{m(t)}\otimes I_{n})\left(\Phi_{F}(C-(I_{d}\otimes A))\right)^{T}\right)^{T}\right] \\ &= E\left[\left(\varepsilon^{T}(t-1)(I_{d}\otimes A^{T}\right) + \frac{\beta}{t}\left((P_{m(t)}\otimes I_{n})\left(\Phi_{F}(C-(I_{d}\otimes A)\right)^{T}\right)^{T}\right] \\ &= E\left[\left(\varepsilon^{T}(t-1)(I_{d}\otimes A^{T}) + \frac{\beta}{t}\left((P_{m(t)}\otimes I_{n})\left(\Phi_{F}(C-(I_{d}\otimes A)\right)^{T}\right)^{T}\right] \\ &= E\left[\left(\varepsilon^{T}(t-1)\left(F_{d}\otimes A^{T}\right) + \frac{\beta}{t}\left(F_{d}\otimes F_{d}\otimes F_{d}\right)^{T}\right)^{T}\right] \\ &= E\left[\left(\varepsilon^{T}(t-1)\left(F_{d}\otimes A^{T}\right) + \frac{\beta}{t}\left(F_{d}\otimes F_{d}\otimes F_$$

$$A)\hat{x}(t-1)) - s(t)))^{T} + \frac{\gamma}{td_{\max}} \left[x^{T}(t-1)(L_{m(t-1)}Q^{T} \otimes A^{T}BB^{T}) - \varepsilon^{T}(t-1)(W_{m(t-1)}^{T}Q^{T} \otimes A^{T}BB^{T}) \right] \right)$$

$$\cdot \left((I_{d} \otimes A)\varepsilon(t-1) + \frac{\beta}{t}(P_{m(t)} \otimes I_{n}) \left(\Phi_{F}(C-(I_{d} \otimes A) \otimes A) + \frac{\gamma}{td_{\max}} \left[(QL_{m(t-1)} \otimes BB^{T}A) + \frac{\gamma}{td_{\max}} \right] \right] \right) \right]$$

$$\leq R(t-1) + R_{2} + R_{3} + \frac{B_{4}}{t^{2}}$$
(B1)

where $0 < B_4 < \infty$.

By the definition of s(t), we can obtain that $E[s(t)] = \Phi_F(C - (Q \otimes I_n)x(t))$. Then, using the property of conditional expectation, we get

$$R_{2} = \frac{2\beta}{t} E \left[\varepsilon^{T}(t-1)(I_{d} \otimes A^{T}) \left(P_{m(t)} \otimes I_{n} \right) \left(\Phi_{F} \left(C - (I_{d} \otimes A)\hat{x}(t-1) \right) - \Phi_{F} \left(C - (Q \otimes I_{n})x(t) \right) \right) \right]$$
$$= \frac{2\beta}{t} E \left[\varepsilon^{T}(t-1)(I_{d} \otimes A^{T}) \left(\left(\sum_{i=1}^{h} p_{i}P_{i} \right) \otimes I_{n} \right) \left(\Phi_{F} \left(C - (I_{d} \otimes A)\hat{x}(t-1) \right) - \Phi_{F} \left(C - (Q \otimes I_{n})x(t) \right) \right) \right].$$

And, denoting $\vec{f} = \frac{d\mathcal{F}}{dx}$, by Lagrange's mean value theorem, we have

$$\mathcal{F}(c_{ij} - A\hat{x}_{ij}(t-1)) - \mathcal{F}(c_{ij} - x_j(t))$$

= $-\vec{f}(\xi_{ij}(t)) (A\hat{x}_{ij}(t-1) - x_j(t))$

where $\xi_{ij}(t)$ is between $c_{ij} - A\hat{x}_{ij}(t-1)$ and $c_{ij} - x_j(t)$. Then, let $\xi(t) = (\xi_{1r_1}^T(t), \dots, \xi_{ir_s}^T(t), \dots, \xi_{Nr_{d_1}+\dots+d_N}^T(t))^T$,

Then, let $\xi(t) = (\xi_{1r_1}^i(t), \dots, \xi_{ir_s}^i(t), \dots, \xi_{Nr_{d_1}+\dots+d_N}^i(t))^r$, with r_s representing the neighbor j of agent i, i.e., $\xi_{ir_s}(t) = \xi_{ij}(t)$. Denote diag $(\Phi_f(\xi(t)))$ as a diagonal matrix generated by each dimension of $\Phi_f(\xi(t))$, with $\Phi_f = \frac{d\Phi_F}{dx}$. By Lemma 2, $\xi_{ij}(t)$ is bounded. Since the function Φ_f is continuous, we have diag $(\Phi_f(\xi(t))) \succeq f_M \cdot I_{nd}$ and

$$\begin{split} \Phi_F \left(C - (I_d \otimes A) \hat{x}(t-1) \right) &- \Phi_F \left(C - (Q \otimes I_n) x(t) \right) \\ &= -\text{diag} \left(\Phi_f(\xi(t)) \right) \left((I_d \otimes A) \hat{x}(t-1) - (Q \otimes I_n) x(t) \right) \\ &= -\text{diag} \left(\Phi_f(\xi(t)) \right) \left((I_d \otimes A) \varepsilon(t-1) + \frac{\gamma}{t d_{\max}} \left[\left(Q L_{m(t-1)} \otimes B B^T A \right) \varepsilon(t-1) \right] \right). \end{split}$$

Then, we have

$$R_{2} = -\frac{2\beta}{t} E[\varepsilon^{T}(t-1)(I_{d} \otimes A^{T}) \left(\left(\sum_{i=1}^{h} p_{i}P_{i}\right) \otimes I_{n} \right) \\ \cdot \operatorname{diag}\left(\Phi_{f}(\xi(t))\right) \left((I_{d} \otimes A)\varepsilon(t-1) + \frac{\gamma}{td_{\max}} \left[\left(QL_{m(t-1)}\right) \right] \right)$$

$$\otimes BB^{T}A x(t-1) - \left(QW_{m(t-1)} \otimes BB^{T}A\right) \varepsilon(t-1)\right])$$

= $-\frac{2\beta}{t}E\left[\varepsilon^{T}(t-1)(I_{d} \otimes A^{T})\left(\left(\sum_{i=1}^{h} p_{i}P_{i}\right) \otimes I_{n}\right) \\ \cdot \operatorname{diag}\left(\Phi_{f}(\xi(t))\right)(I_{d} \otimes A)\varepsilon(t-1)\right] + \frac{B_{5}}{t^{2}}$

where $0 < B_5 < \infty$.

Subsequently, by Assumption 1 and the definition of $P_{m(t)}$, we can get $\sum_{i=1}^{h} P_i \succeq I_d$, and then

$$R_{2} = -\frac{2\beta}{t}E\left[\varepsilon^{T}(t-1)(I_{d}\otimes A^{T})\left(\left(\sum_{i=1}^{h}p_{i}P_{i}\right)\otimes I_{n}\right)\right.$$

$$\cdot \operatorname{diag}\left(\Phi_{f}(\xi(t))\right)(I_{d}\otimes A)\varepsilon(t-1)\right] + \frac{B_{5}}{t^{2}}$$

$$\leq -\frac{2\beta f_{M}}{t}E\left[\varepsilon^{T}(t-1)(I_{d}\otimes A^{T})\left(\left(\sum_{i=1}^{h}p_{i}P_{i}\right)\otimes I_{n}\right)\right.$$

$$\cdot (I_{d}\otimes A)\varepsilon(t-1)\right] + \frac{B_{5}}{t^{2}}$$

$$\leq -\frac{2\beta p_{\min}f_{M}}{t}R(t-1) + \frac{B_{5}}{t^{2}}.$$
(B2)

In a similar way to V_2 , let $L_{m(t-1)} = \tilde{L}_{m(t-1)}^T \tilde{L}_{m(t-1)}$ and use the Schwarz inequality again. Then, we have

$$\begin{split} & \frac{2\gamma}{td_{\max}} E[\varepsilon^T(t-1)(QL_{m(t-1)}\otimes A^TBB^TA)x(t-1)] \\ &= E[\varepsilon^T(t-1)(Q\tilde{L}_{m(t-1)}^T\otimes A^TBB^T)(\tilde{L}_{m(t-1)}\otimes A)x(t-1)] \\ &\leq \frac{2\gamma}{td_{\max}} \left(E[\varepsilon^T(t-1)\left((Q\tilde{L}_{m(t-1)}^T\tilde{L}_{m(t-1)}Q^T)\otimes A^TBB^T \\ \cdot BB^TA\right)\varepsilon(t-1)]E[x^T(t-1)(\tilde{L}_{m(t-1)}^T\tilde{L}_{m(t-1)}\otimes I_n) \\ \cdot x(t-1)])^{1/2} \\ &\leq \frac{2\gamma}{td_{\max}} \sqrt{\lambda_{QL}\lambda_{AB}^2R(t-1)V(t-1)} \\ &\leq \frac{\gamma}{td_{\max}} \left(\frac{\lambda_{QL}\lambda_2^2\lambda_{ab}}{2\lambda_N\lambda_W}R(t-1) + \frac{2\lambda_N\lambda_W\lambda_{AB}^2}{\lambda_2^2\lambda_{ab}}V(t-1) \right). \end{split}$$

Since $\lambda_{\check{W}}$ and λ_Q are finite, we have

$$-\frac{2\gamma}{td_{\max}}E[\varepsilon^{T}(t-1)(QW_{m(t-1)}\otimes A^{T}BB^{T}A)\varepsilon(t-1)]$$

$$\leq \frac{2\gamma}{td_{\max}}\left(E[\varepsilon^{T}(t-1)(QQ^{T}\otimes A^{T}BB^{T}BB^{T}A)\varepsilon(t-1)]\right)^{\frac{1}{2}}$$

$$\cdot\left(E[\varepsilon^{T}(t-1)(W_{m(t-1)}^{T}W_{m(t-1)}\otimes I_{n})\varepsilon(t-1)]\right)^{\frac{1}{2}}$$

$$\leq \frac{2\gamma\lambda_{AB}\sqrt{\lambda_{Q}\lambda_{\check{W}}}}{td_{\max}}R(t-1).$$

Then, we can obtain

$$R_{3} \leq \frac{\gamma}{td_{\max}} \left(\frac{\lambda_{QL} \lambda_{2}^{2} \lambda_{ab}}{2\lambda_{N} \lambda_{W}} R(t-1) + \frac{2\lambda_{N} \lambda_{W} \lambda_{AB}^{2}}{\lambda_{2}^{2} \lambda_{ab}} V(t-1) \right) + \frac{2\gamma \lambda_{AB} \sqrt{\lambda_{Q} \lambda_{\tilde{W}}}}{td_{\max}} R(t-1) = \frac{\gamma \alpha}{td_{\max}} R(t-1) + \frac{2\gamma \lambda_{N} \lambda_{W} \lambda_{AB}^{2}}{td_{\max} \lambda_{2}^{2} \lambda_{ab}} V(t-1).$$

This together with (B1) and (B2) gives the lemma.

REFERENCES

- H. G. Tanner, A. Jadbabaie, and G. J. Pappas, "Flocking in fixed and switching networks," *IEEE Trans. Autom. Control*, vol. 52, no. 5, pp. 863–868, May 2007.
- [2] H. G. Tanner, A. Jadbabaie, and G. J. Pappas, "Stable flocking of mobile agents, part I: Fixed topology," in *Proc. 42nd IEEE Int. Conf. Decis. Control*, 2003, pp. 2010–2015.
- [3] Y. J. Li, C. Tan, J. X. Wu, G. P. Liu, and Y. Cui, "Stability analysis and group consensus tracking predictive control of multi-agent systems," *J. Syst. Sci. Complexity*, vol. 36, no. 5, pp. 1851–1877, 2023.
- [4] Y. K. Xie and Q. Ma, "Consensus analysis of fractional multi-agent systems with delayed distributed PI controller," J. Syst. Sci. Complexity, vol. 36, no. 1, pp. 205–221, 2023.
- [5] A. Jadbabaie, J. Lin, and A. S. Morse, "Coordination of groups of mobile autonomous agents using nearest neighbor rules," *IEEE Trans. Autom. Control*, vol. 48, no. 6, pp. 988–1001, Jun. 2003.
- [6] Z. Jin, Z. Qin, X. Zhang, and C. Guan, "A leader-following consensus problem via a distributed observer and fuzzy input-to-output small-gain theorem," *IEEE Trans. Control Netw. Syst.*, vol. 9, no. 1, pp. 62–74, Mar. 2022.
- [7] Y. Zhang and Y. F. Su, "Consensus of hybrid linear multi-agent systems with periodic jumps," *Sci. China Inf. Sci.*, vol. 66, no. 7, 2023, Art. no. 179204.
- [8] Y. B. Liu and Y. R. Yang, "Reputation propagation and agreement in mobile ad-hoc networks," in *Proc. IEEE Wireless Commun. Netw.*, 2003, pp. 1510– 1515.
- [9] V. D. Blondel, J. M. Hendrickx, A. Olshevsky, and J. N. Tsitsiklis, "Convergence in multi-agent coordination, consensus, and flocking," in *Proc. 44th IEEE Conf. Decis. Control*, 2005, pp. 2996–3000.
- [10] W. Ren, R. W. Beard, and D. B. Kingston, "Multi-agent Kalman consensus with relative uncertainty," in *Proc. 2005 Amer. Control Conf.*, 2005, vol. 3, pp. 1865–1870.
- [11] M. Y. Huang and J. H. Manton, "Stochastic consensus seeking with measurement noise: Convergence and asymptotic normality," in *Proc.* 2008 Amer. Control Conf., 2008, pp. 1337–1342.
- [12] T. Li and J. F. Zhang, "Mean square average consensus under measurement noises and fixed topologies: Necessary and sufficient conditions," *Automatica*, vol. 45, no. 8, pp. 1929–1936, 2009.
- [13] J. Guo, R. Jia, R. Su, Y. Song, and F. Jing, "DoS attack detection in identification of FIR systems with binary-valued observations," *Asian J. Control*, vol. 25, pp. 2469–2481, 2023.
- [14] Q. He, G. G. Yin, and L. Y. Wang, "System identification under regular, binary, and quantized observations: Moderate deviations error bounds," *IEEE Trans. Autom. Control*, vol. 60, no. 6, pp. 1635–1640, Jun. 2015.
- [15] M. El Chamie, J. Liu, and T. Başar, "Design and analysis of distributed averaging with quantized communication," *IEEE Trans. Autom. Control*, vol. 61, no. 12, pp. 3870–3884, Dec. 2016.
- [16] A. Kashyap, T. Basar, and R. Srikant, "Quantized consensus," *Automatica*, vol. 43, no. 7, pp. 1192–1203, 2007.
- [17] A. I. Rikos, T. Charalambous, K. H. Johansson, and C. N. Hadjicostis, "Distributed event-triggered algorithms for finite-time privacy-preserving quantized average consensus," *IEEE Trans. Control Netw. Syst.*, vol. 10, no. 1, pp. 38–50, Mar. 2023.
- [18] M. E. Chamie, J. Liu, and T. Başar, "Design and analysis of distributed averaging with quantized communication," *IEEE Trans. Autom. Control*, vol. 61, no. 12, pp. 3870–3884, Dec. 2016.
- [19] R. Carli, F. Fagnani, P. Frasca, and S. Zampieri, "Gossip consensus algorithms via quantized communication," *Automatica*, vol. 46, no. 1, pp. 70–80, 2010.

- [20] T. Li and L. H. Xie, "Distributed coordination of multi-agent systems with quantized-observer based encoding-decoding," *IEEE Trans. Autom. Control*, vol. 57, no. 12, pp. 3023–3037, Dec. 2012.
- [21] T. Wang, H. Zhang, and Y. L. Zhao, "Consensus of multi-agent systems under binary-valued measurements and recursive projection algorithm," *IEEE Trans. Autom. Control*, vol. 65, no. 6, pp. 2678–2685, Jun. 2020.
- [22] T. Wang, M. Hu, and Y. L. Zhao, "Consensus of linear multi-agent systems with stochastic noises and binary-valued communications," *Int. J. Robust Nonlinear Control*, vol. 30, no. 13, pp. 4863–4879, 2020.
- [23] M. Hu, T. Wang, and Y. L. Zhao, "Consensus of switched multi-agent systems with binary-valued communications," *Sci. China Inf. Sci.*, vol. 65, no. 6, 2022, Art. no. 162207.
- [24] Y. Meng, T. Li, and J. F. Zhang, "Output feedback quantized observerbased synchronization of linear multi-agent systems over jointly connected topologies," *Int. J. Robust Nonlinear Control*, vol. 26, no. 11, pp. 2378–2400, 2016.
- [25] N. E. Friedkin, A. V. Proskurnikov, R. Tempo, and S. E. Parsegov, "Network science on belief system dynamics under logic constraints," *Science*, vol. 354, no. 6310, pp. 321–326, 2016.
- [26] Y. Wang, L. Cheng, Z. G. Hou, M. Tan, C. Zhou, and M. Wang, "Consensus seeking in a network of discrete-time linear agents with communication noises," *Int. J. Syst. Sci.*, vol. 46, no. 10, pp. 1874–1888, 2015.
- [27] J. L. Zhang, X. Chen, and G. Gu, "State consensus for discrete-time multiagent systems over time-varying graphs," *IEEE Trans. Autom. Control*, vol. 66, no. 1, pp. 346–353, Jan. 2021.
- [28] P. T. Boufounos and R. G., "Baraniuk, 1-bit compressive sensing," in *Proc.* 42nd Annu. Conf. Inf. Sci. Syst., 2008, pp. 16–21.
- [29] Y. Plan and R. Vershynin, "One-bit compressed sensing by linear programming," *Commun. Pure Appl. Math.*, vol. 66, no. 8, pp. 1275–1297, 2013.
- [30] S. Khobahi and M. Soltanalian, "Model-based deep learning for one-bit compressive sensing," *IEEE Trans. Signal Process.*, vol. 68, pp. 5292–5307, 2020.
- [31] Y. Arjoune and N. Kaabouch, "A comprehensive survey on spectrum sensing in cognitive radio networks: Recent advances, new challenges, and future research directions," *Sensors*, vol. 19, no. 1, 2019, Art. no. 126.
- [32] Y. Su and J. Huang, "Two consensus problems for discrete-time multiagent systems with switching network topology," *Automatica*, vol. 48, no. 9, pp. 1988–1997, 2012.
- [33] Y. J. Xie and Z. L. Lin, "Global leader-following consensus of a group of discrete-time neutrally stable linear systems by event-triggered bounded controls," *Inf. Sci.*, vol. 459, pp. 302–316, 2018.
- [34] D. Alexander and E. Frey, "Extinction in neutrally stable stochastic Lotka-Volterra models," *Phys. Rev. E*, vol. 85, no. 5, 2012, Art. no. 051903.
- [35] B. Zhou and Z. L. Lin, "Consensus of high-order multi-agent systems with large input and communication delays," *Automatica*, vol. 50, no. 2, pp. 452–464, 2014.
- [36] K. Y. You and L. H. Xie, "Network topology and communication data rate for consensusability of discrete-time multi-agent systems," *IEEE Trans. Autom. Control*, vol. 56, no. 10, pp. 2262–2275, Oct. 2011.
- [37] M. Y. Huang and J. H. Manton, "Coordination and consensus of networked agents with noisy measurements: Stochastic algorithms and asymptotic behavior," *SIAM J. Control Optim.*, vol. 48, no. 1, pp. 134–161, 2009.
- [38] R. A. Horn and C. R. Johnson, *Topics in Matrix Analysis*, Cambridge, U.K.: Cambridge Univ. Press, 1991.



Ru An received the B.S. degree in mathematics from Shandong University, Jinan, China, in 2022. She is currently working toward the Ph.D. degree in system theory with the Academy of Mathematics and Systems Science, Chinese Academy of Science, Beijing, China.

Her research interests include quantized systems and multiagent systems.



Ying Wang (Member, IEEE) received the B.S. degree in mathematics from Wuhan University, Wuhan, China, in 2017, and the Ph.D. degree in system theory from the Academy of Mathematics and Systems Science (AMSS), Chinese Academy of Science (CAS), Beijing, China, in 2022.

She is currently a Postdoctoral Fellow with the AMSS, CAS, and the Division of Decision and Control System, KTH Royal of Technology, Stockholm, Sweden. Her research interests ind control of guartized systems, and multiagent

clude identification and control of quantized systems, and multiagent systems.



Ji-Feng Zhang (Fellow, IEEE) received the B.S. degree in mathematics from Shandong University, Jinan, China, in 1985, and the Ph.D. degree from the Institute of Systems Science, Chinese Academy of Sciences (CAS), Beijing, China, in 1991.

He is currently with the Zhongyuan University of Technology and the Academy of Mathematics and Systems Science, CAS. His current research interests include system modeling, adaptive control, stochastic systems, and

multiagent systems.

Dr. Zhang is an IFAC Fellow, CAA Fellow, SIAM Fellow, Member of the European Academy of Sciences and Arts, and Academician of the International Academy for Systems and Cybernetic Sciences. He was the recipient of the Second Prize of the State Natural Science Award of China in 2010 and 2015, respectively. He was a Vice-Chair of the IFAC Technical Board, Member of the Board of Governors, IEEE Control Systems Society; Convenor of Systems Science Discipline, Academic Degree Committee of the State Council of China; and Vice-President of the Chinese Association of Automation, the Systems Engineering Society of China, and the Chinese Mathematical Society. He was the Editor-in-Chief, Deputy Editor-in-Chief, or Associate Editor for more than ten journals, including *Science China Information Sciences*, IEEE TRANSACTIONS ON AUTOMATIC CONTROL, and *SIAM Journal on Control and Optimization* etc.



Yanlong Zhao (Senior Member, IEEE) received the B.S. degree in mathematics from Shandong University, Jinan, China, in 2002, and the Ph.D. degree in systems theory from the Academy of Mathematics and Systems Science (AMSS), Chinese Academy of Sciences (CAS), Beijing, China, in 2007.

Since 2007, he has been with the AMSS, CAS, where he is currently a Full Professor. His research interests include identification and control of quantized systems, information the-

ory, and modeling of financial systems.

Dr. Zhao has been the Deputy Editor-in-Chief of the Journal of Systems and Science and Complexity, and an Associate Editor for Automatica, SIAM Journal on Control and Optimization, and IEEE TRANSAC-TIONS ON SYSTEMS, MAN AND CYBERNETICS: SYSTEMS. He was the Vice-President of Asian Control Association and IEEE CSS Beijing Chapter, and is currently a Vice General Secretary of Chinese Association of Automation (CAA) and the Chair of Technical Committee on Control Theory, CAA.